



本证书由中华人民共和国政府授权发给

This Certificate is Issued Under the Authority of the Government of the People's Republic of China

中国船级社
CHINA CLASSIFICATION SOCIETY

证书格式号/Form: T01.01-
HQ000386

型式认可证书 CERTIFICATE OF TYPE APPROVAL

证书编号/Certificate No. NJ11T00026_08

兹证明本证书所述制造厂生产的下列产品能够满足下面列明认可标准的要求。

This is to certify that the following products produced by the manufacturer stated in the certificate can meet the requirements of the approval standards listed below.

认可产品/ Product Approved

海上撤离系统

MARINE EVACUATION SYSTEM

制造厂/ Manufacturer

江苏海宁船用器材厂

Jiangsu Haining Marine Equipment Plant

江苏省泰州市经济开发区

Economic Development Zone, Taizhou City, Jiangsu Province

认可标准/ Approval Standard

- 1.MSC.48(66) 国际救生设备规则
MSC.48(66) International Life-saving Appliance Code
- 2.MSC.81(70) 经修正的救生设备试验建议
MSC.81(70) Revised Recommendation on Testing of Life-saving Appliances

证书有效期至/ This Certificate is valid until

2015年4月27日 / Apr. 27, 2015

发证机构 中国船级社南京分社

Issued by CCS Nanjing Branch

签发日期

Date

2011年4月28日

Apr. 28, 2011

本证书根据中国船级社《钢质海船入级规范》及有关程序规定签发。关于证书的有关规定见本证书页背面的说明。当本证书包括多页纸张时，则所有证书页为一个整体，必须同时使用。每一页证书均须由本社盖章方为有效。证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。本认可证书不代表本社对个体产品质量的检验。有关各方对所持证书的真实性有疑问时，可以向本社检验机构咨询。

This Certificate is issued pursuant to the Rules for Classification of Sea-going Steel Ships and related procedures of the Society. Refer to the back of the certificate for detailed requirements of the certificate. When the certificate consists of more than one page, all pages of the certificate are taken as a whole and are used simultaneously. No certificate page is valid without bearing the stamp of the Society and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. This approval certificate does not constitute the inspection of the Society about the quality of the unit/batch product. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.



NJ20594379

Nº 11169047

中国船级社总部/CCS headquarters: 北京市东直门南大街9号船检大厦

邮编: 100007

电话/Tel: +86(10)58112288 传真/Fax: +86(10)58112811

CCS Mansion, 9 Dongzhimen Nan Da Jie, Beijing 100007, China

网址/Web Site: <http://www.ccs.org.cn>

本地检验机构/CCS Local Office:

中国船级社南京分社

CCS Nanjing Branch

电话/Tel: 0086-25-66668899 传真/Fax: 0086-25-58757734

产品明细/ Product Description

海上撤离系统/MARINE EVACUATION SYSTEM
型号/Model

: 倾斜式单滑道
/Inclined Single Slide Chute
产品明细见附页/Product
Description See Attached Page

批准的图纸和设计计算书/ Approved Drawings and Design Calculations

图纸批准号/ Drawings Approval No. : NJA02520040NJA02520055NJA02520018NJ06A00791

产品认可试验报告/ Approval Test Report

试验报告编号/Test Report No. : HNF-11002, HNF-11003
试验报告日期/Test Report Date : 2011-03-25
试验单位/ Laboratory : 江苏海宁船用器材厂
Jiangsu Haining Marine Equipment Plant
试验单位地址/ Test Address : 江苏省泰州市鲍徐镇
Baoxu Town, Taizhou City, Jiangsu Province

产品适用范围/ Application of the Product

国际航行船舶/International Voyage

认可保持条件/ Maintenance Requirements of Approval

1. 型式认可后, 如果产品及其重要零部件的设计、所用材料或制造方法有所改变, 且影响到产品的主要特性、特征; 或产品的性能指标有所更改, 且超过认可的范围, 则有关图纸和文件应经检验机构审批。并在检验机构认为必要时, 经本社检验人员见证有关试验和进行检查, 其结果应能证实仍符合认可条件。
After type approval, if there are changes to the design, materials used or manufacturing method of the product and important components and such changes affect major characteristics and properties of the product, or property indexes of the product are changed and exceed the scope of approval, related drawings and documents are to be examined and approved by the concerned survey office. Where deemed necessary by the survey office, the surveyor to the Society will go to witness relevant tests and conduct inspection and the results should be able to demonstrate compliance with the approval conditions.
2. 工厂的专业质量管理体系应保持有效运行, 并且与认可时一致。如果质量管理体系发生改变, 应经原体系认证机构审核并报本社批准。
The professional quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.
3. 认可证书有效期内, 如果出现可能导致本社取消认可的情况, 工厂应及时采取有效的纠正措施。
Within the validity of the approval certificate, if cases occur that may cause the Society to withdraw the approval, the manufacturer should take corrective actions in a prompt and effective manner.
4. 在认可证书有效期内, 本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核, 以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。
Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active cooperation and necessary for the surveyor.

认可后的产品检验方式/ Method of Product Inspection after Approval

按照规范每批抽样检验的产品/The product inspected by sampling in term of the rules:

认可后的产品检验应由本社验船师根据本社规范规定每批抽样按批准的产品检验计划进行检验, 经检验合格后由本社颁发产品证书。

After approval, product inspection should be carried out by sampling by the Surveyor of the Society in accordance with the approved product inspection scheme, and the Product Certificate will be issued by the Society upon satisfactory inspection.

对于原材料和零部件的检验要求/ Inspection Requirements for Materials and Components

产品如下原材料和零部件应经本社检验, 持有本社产品证书/The following materials and components of the product should be inspected and certificated by the Society:

钢瓶/Steel bottle

产品如下原材料和零部件的制造厂清单, 经本社批准方可变更/The list of manufacturer for the following materials and components of the product should not be changed without the Society's approval:

基布/Cloth 速放阀/Quick Release Valve 进气阀/Intake Valve 安全阀/Safety Valve

责任声明/Statement of Responsibility

本社的认可不影响、替代与本社授权或检验无关的各方对上述工厂的认可和发证, 并且不对与本社授权或检验无关的各方负责, 不承担其未经应允而承认、接受本社认可所导致的法律和经济责任。

The approval of the Society does not affect and replace any approval and certification of the manufacturer by any parties that bear no relation with this Society's authorization or survey and therefore takes no responsibility for these parties. The Society does not undertake any legal and economic liabilities arising from accepting this Society's certificate without prior permission from this Society.

其他/Others

本证书由原NJ06T00106_01~05及NJ06T00135_05~06证书换发。

The Certificate is renewed from NJ06T00106_01~05 and NJ06T00135_05~06.


中国船级社南京分社

CCS Nanjing Branch

*****本证书正文完/ End of Text*****

注: 本证书含有附页, 共1页

Note: The certificate is attached with 1 additional page(s)



产品明细

Product Description

产品型号/Model	HN-MES-D6.0-315	HN-MES-D7.0-315	HN-MES-D8.0-315	HN-MES-D9.0-315	HN-MES-D10.0-315	HN-MES-D11.0-315	HN-MES-D12.0-315
型式/Type	倾斜式单滑道 /Inclined Single Slide Chute	倾斜式单滑道 /Inclined Single Slide Chute	倾斜式单滑道 /Inclined Single Slide Chute	倾斜式单滑道 /Inclined Single Slide Chute	倾斜式单滑道 /Inclined Single Slide Chute	倾斜式单滑道 /Inclined Single Slide Chute	倾斜式单滑道 /Inclined Single Slide Chute
系统核准人员 /Certification Number of Persons of System	315 人/Pers.	315 人/Pers.	315 人/Pers.	315 人/Pers.	315 人/Pers.	315 人/Pers.	315 人/Pers.
容器尺寸(L×B×H) /Dimensions of Container	2000×1050 ×1800 mm	2000×1050 ×1800 mm	2000×1100 ×1800 mm	2200×1150 ×1850 mm	2200×1150 ×1900 mm	2240×1200 ×2000 mm	2300×1200 ×2000 mm
滑道尺寸(L×B×H) /Dimensions of Slide	10100×1780 ×1410 mm	11800×1720 ×1500 mm	13600×1720 ×1500 mm	15500×1760 ×1530 mm	16500×1880 ×1640 mm	18800×1872 ×1511 mm	20600×1890 ×1529 mm
平台尺寸(L×B×H) /Dimensions of Platform	5820×5710 ×860 mm	5820×5710 ×860 mm	5820×5710 ×860 mm	5820×5710 ×860 mm	5820×5710 ×860 mm	5820×5710 ×860 mm	5820×5710 ×860 mm
最大存放高度(水线以上) /Max. height of towage (above the waterline)	6m	7m	8m	9m	10m	11m	12m
总重量/Total Weight	1280 kg	1380 kg	1460 kg	1680 kg	1800 kg	1860 kg	1900 kg

